International Journal of Pharmaceutics, 49 (1988) 269–271
Elsevier

Author Index

Addicks, W.J., see Chiang, C.-M. (49) 109
Amagase, H., see Murakami, T. (49) 173
Anders, R. and P. Merkle, H.
Evaluation of laminated muco-adhesive patches for buccal drug delivery (49) 231
Arita, T., see Kohri, N. (49) 213
Armstrong, N.A.
Time-dependent factors involved in powder compression and tablet manufacture (49) 1
Attwood, D. and Patel, H.K.
Composition of mixed micellar systems of cetrimide and chlorhexidine digluconate (49) 129

Baillie, A.J., see Mendelow, A.Y. (49) 29
Banerjee, P.S. and Ritschel, W.A.
Transdermal permeation of vasopressin. I. Influence of pH, concentration, shaving and surfactant on in vitro permeation (49) 189
Banerjee, P.S. and Ritschel, W.A.
Transdermal permeation of vasopressin. II. Influence of Azone on in vitro and in vivo permeation (49) 199
Bateman, S.D., Rubinstein, M.H., Rowe, R.C., Roberts, R.J., Drew, P. and Ho, A.Y.K.
A comparative investigation of compression simulators (49) 209
Behl, C., see Masada, T. (49) 57
Benoit, J.P., see Ruiz, J.M. (49) 69
Boddé, H.E., see Le Brun, P.P.H. (49) 141
Bottenberg, P., Slop, D., Remon, J.P., De Muynck, C. and Coomans, D.
Influence of viscosity and surfactant on fissure penetration of dental fluoride gels in vitro (49) 147
Bramanti, G., Mura, P., Liguori, A., Ceccarelli, L., Santoni, G., Grossi, G. and Torresi, M.C.
Pharmaceutical availability of digoxin tablets (49) 241

Carlucci, G., Mazzeo, P., Quaglia, M.G. and Vetuschi, C.
Determination of 5-methoxy-2-methylindole-3-acetic acid in indomethacin by derivative UV-spectrophotometry (49) 79
Ceccarelli, L., see Bramanti, G. (49) 241
Chiang, C.-M., Flynn, G.L., Weiner, N.D., Addicks, W.J. and Szpunar, G.J.
Bioavailability assessment of topical delivery systems: in vitro delivery of minoxidil from prototypical semi-solid formulations (49) 109
Coomans, D., see Bottenberg, P. (49) 147
Cremieux, A., see Damery, B. (49) 205
Cutt, T., Fell, J.T., Rue, P.J. and Spring, M.S.
Granulation and compaction of a model system. III. Compaction properties of the granules (49) 157

Damery, B. and Cremieux, A.
Virucidal activity against Herpes and Vaccinia virus of 8 antiseptic formulations (49) 205
Dansereau, R. and Dansereau, R.
Development of a new coated-bead dosage form of sodium iodide I-131 (49) 115
Dansereau, R., see Dansereau, R. (49) 115
Davis, S.S., Parr, G.D., Feely, L., Leslie, S.T., Malkowska, S. and Lockwood, G.F.
The gastrointestinal transit investigation of a controlled release aminophylline formulation (49) 183
De Muynck, C., see Bottenberg, P. (49) 147
De Vries, M.E., see Le Brun, P.P.H. (49) 141
De Vries-Nijboer, G.W., see Schoonen, A.J.M. (49) 261
Dey, M., Enever, R., Marino, M., Michelucci, J., Smith, D., Warner, R. and Weierstall, R.
Sustained-release etodolac bioavailability and dose proportionality: correlation between in vivo and in vitro performance (49) 121
Drew, P., see Bateman, S.D. (49) 209
Duewell, S., see Schwendener, R.A. (49) 249

Enever, R., see Dey, M. (49) 121
Evans, J.C., see Gay, C.L. (49) 39

Feely, L., see Davis, S.S. (49) 183
Fell, J.T., see Cutt, T. (49) 157
Florence, A.T., see Mendelow, A.Y. (49) 29
Flynn, G.L., see Chiang, C.-M. (49) 109
Flynn, G.L., see Neau, S.H. (49) 223
Forsyth, A., see Mendelow, A.Y. (49) 29
Fox, J., see Masada, T. (49) 57
Fox, P.L.A., see Le Brun, P.P.H. (49) 141
Frijlink, H.W., Schoonen, A.J.M. and Lerk, C.F.
The effects of cyclodextrins on drug absorption 1. In vitro observations (49) 91
Fuwa, T., see Murakami, T. (49) 173

Gay, C.L., Murphy, T.M., Hadgraft, J., Kellaway, I.W., Evans, J.C. and Rowlands, C.C.
An electron spin resonance study of skin penetration enhancers (49) 39
Gorman, S.P., see Woolfson, A.D. (49) 135
Grossi, G., see Bramanti, G. (49) 241

0378-5173/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Hadgraft, J., see Gay, C.L. (49) 39
Hayashi, T., see Murakami, T. (49) 173
Higashi, Y., see Murakami, T. (49) 173
Higuchi, W.I., see Masada, T. (49) 57
Hirayama, F., see Yamamoto, M. (49) 163
Hisaichi, S.-i., see Kurosaki, Y. (49) 47
Ho, A.Y.K., see Bateman, S.D. (49) 209
Hong, L.-Z., see Kurosaki, Y. (49) 47

Iwasa, K., see Kohri, N. (49) 213

Jamoulle, J.C., see Martin, B. (49) 63
Jones, D.S., see Woolfson, A.D. (49) 135

Katagi, T., see Takahashi, K. (49) 179
Kellaway, I.W., see Gay, C.L. (49) 39
Kimura, T., see Kurosaki, Y. (49) 47
Kishimoto, M., see Murakami, T. (49) 173
Kohri, N., Iwasa, K., Kurihara, J., Miyazaki, K. and Arita, T.
Inter-subject variation in oral absorption of ketoprofen from controlled-release granules in rabbits (49) 213
Kurihara, J., see Kohri, N. (49) 213
Kurosaki, Y., Hisaichi, S.-i., Hong, L.-Z., Nakayama, T. and Kimura, T.
Enhanced permeability of keratinized oral-mucosa to salicylic acid with 1-dodecylazacycloheptan-2-one (Azone). In vitro studies in hamster cheek pouch (49) 47

Le Brun, P.P.H., Fox, P.L.A., De Vries, M.E. and Boddé, H.E.
In vitro penetration of some β-adrenoreceptor blocking drugs through porcine buccal mucosa (49) 141
Lerk, C.F., see Frijlink, H.W. (49) 91
Leslie, S.T., see Davis, S.S. (49) 183
Liguori, A., see Bramanti, G. (49) 241
Lockwood, G.F., see Davis, S.S. (49) 183

Machida, Y., see Maitani, Y. (49) 23
Maitani, Y., Machida, Y. and Nagai, T.
Influence of molecular weight and charge on nasal absorption of dextran and DEAE–dextran in rabbits (49) 23
Malkowska, S., see Davis, S.S. (49) 183
Marino, M., see Dey, M. (49) 121
Martin, B., Watts, O., Shroot, B. and Jamoulle, J.C.
A new diffusion cell – an automated method for measuring the pharmaceutical availability of topical dosage forms (49) 63
Masada, T., Higuchi, W.I., Srinivasan, V., Rohr, U., Fox, J., Behl, C. and Pons, S.
Examination of iontophoretic transport of ionic drugs across skin: baseline studies with the four-electrode system (49) 57
Mazzeo, P., see Carlucci, G. (49) 79
McCafferty, D.F., see Woolfson, A.D. (49) 135
Mendelow, A.Y., Forsyth, A., Baillie, A.J. and Florence, A.T.
In vitro release of nickel sulphate of varying particle size from paraffin bases (49) 29
Merkle, H.P., see Anders, R. (49) 231
Michelucci, J., see Dey, M. (49) 121
Miller, L.L. and Smith, G.A.
Iontophoretic transport of acetate and carboxylate ions through hairless mouse skin. A cation exchange membrane model (49) 15
Miyazaki, K., see Kohri, N. (49) 213
Mura, P., see Bramanti, G. (49) 241
Murakami, T., Kishimoto, M., Higashi, Y., Amagase, H., Hayashi, T., Fuwa, T. and Yata, N.
Biliary and urinary excretions of immunoreactive human epidermal growth factor after intravenous administration in rats (49) 173
Murphy, T.M., see Gay, C.L. (49) 39

Nagai, T., see Maitani, Y. (49) 23
Nakayama, T., see Kurosaki, Y. (49) 47
Neau, S.H., Flynn, G.L. and Yalkowsky, S.H.
The influence of heat capacity assumptions on the estimation of solubility parameters from solubility data (49) 223
Nishihatal, T., see Takahashi, K. (49) 179

Parr, G.D., see Davis, S.S. (49) 183
Patel, H.K., see Attwood, D. (49) 129
Pons, S., see Masada, T. (49) 57

Quaglia, M.G., see Carlucci, G. (49) 79

Remon, J.P., see Bottenberg, P. (49) 147
Ritschel, W.A., see Banerjee, P.S. (49) 189
Ritschel, W.A., see Banerjee, P.S. (49) 199
Roberts, R.J., see Bateman, S.D. (49) 209
Rohr, U., see Masada, T. (49) 57
Rowe, R.C., see Bateman, S.D. (49) 209
Rowlands, C.C., see Gay, C.L. (49) 39
Rubinstein, M.H., see Bateman, S.D. (49) 209
Rue, P.J., see Cutt, T. (49) 157
Ruiz, J.M., Tissier, B. and Benoît, J.P.
Microencapsulation of peptide: a study of the phase separation of poly(D,L-lactic acid–co-glycolic acid) copolymers 50/50 by silicone oil (49) 69

Santoni, G., see Bramanti, G. (49) 241
Schoonen, A.J.M. and De Vries-Nijboer, G.W.
Dissolution of acetaminophen in a single pore and its relevance for dissolution of tablets (49) 261
Schoonen, A.J.M., see Frijlink, H.W. (49) 91
Schwendener, R.A., Wüthrich, R., Duewell, S., Westera, G. and Von Schulthess, G.K.
Small unilamellar liposomes as magnetic resonance contrast agents loaded with paramagnetic Mn-, Gd- and Fe-DTPA–stearate complexes (49) 249
Selkämaa, R. and Tammilehto, S.
Photochemical decomposition of midazolam. I. Isolation and identification of products (49) 83
Shroot, B., see Martin, B. (49) 63
Slop, D., see Bottenberg, P. (49) 147
Smith, D., see Dey, M. (49) 121
Smith, G.A., see Miller, L.L. (49) 15

Spring, M.S., see Cutt, T. (49) 157
Srinivasan, V., see Masada, T. (49) 57
Szpunar, G.J., see Chiang, C.-M. (49) 109

Takahashi, K., Katagi, T., Tamagawa, S. and Nishihatal, T.
Effect of pH on the dissolution of drug particle dispersed in solid matrix of hydrogenated soya phospholipid (49) 179
Tamagawa, S., see Takahashi, K. (49) 179
Tammilehto, S., see Selkämaa, R. (49) 83
Tissier, B., see Ruiz, J.M. (49) 69
Torresi, M.C., see Bramanti, G. (49) 241

Uekama, K., see Yamamoto, M. (49) 163
Upadrashta, S.M. and Wurster, D.E.
Equilibrium binding studies of the interaction between anthralin and bovine serum albumin (49) 103

Vetuschi, C., see Carlucci, G. (49) 79
Von Schulthess, G.K., see Schwendener, R.A. (49) 249

Warner, R., see Dey, M. (49) 121
Watts, O., see Martin, B. (49) 63
Weierstall, R., see Dey, M. (49) 121
Weiner, N.D., see Chiang, C.-M. (49) 109
Westera, G., see Schwendener, R.A. (49) 249
Woolfson, A.D., Gorman, S.P., McCafferty, D.F. and Jones, D.S.
Assay procedures for Taurolin solutions using pre-column derivatisation and high-performance liquid chromatography with fluorescence detection (49) 135
Wurster, D.E., see Upadrashta, S.M. (49) 103
Wüthrich, R., see Schwendener, R.A. (49) 249

Yalkowsky, S.H., see Neau, S.H. (49) 223
Yamamoto, M., Yoshida, A., Hirayama, F. and Uekama, K.
Some physicochemical properties of branched β-cyclodextrins and their inclusion characteristics (49) 163
Yata, N., see Murakami, T. (49) 173
Yoshida, A., see Yamamoto, M. (49) 163